


Lesson 3

Seafood: Wild and Farmed





Seafood Production

About 400 tons of mackerel caught in a purse seine (a type of net) in Chile.

Most global seafood harvests use gigantic nets that are pulled through the water or along the sea floor.

Photo credit: C. Ortiz Rojas, 1997. NOAA Photo Library.



Seafood Production-Bycatch

Separating shrimp from bycatch (non-target species caught unintentionally).

In the shrimp harvesting industry, only 5 percent of what some trawlers catch is actually shrimp, and the rest is bycatch.

Source: Davies RWD, Cripps SJ, et al. Defining and estimating global marine fisheries bycatch. *Mar. Policy* 2009;33(4):661-672.


Photo credit: National Oceanic & Atmospheric Administration, 1969. NOAA Photo Library.



Seafood Production- Oyster Farm

On this Australian farm, oysters are raised in submerged bags attached to poles.

Photo credit: Saoysters, 2009. Wikimedia Commons. Creative Commons CC BY 3.0. <https://creativecommons.org/licenses/by/3.0/deed.en>



Seafood Safety

These guidelines are designed to protect children and pregnant women.

Source: U.S. Environmental Protection Agency.

Image credit: Bretwood Higman, 2009. Creative Commons CC BY 3.0. <https://creativecommons.org/licenses/by/3.0/deed.en>